

DECLARATION OF PERFORMANCE

No: HS6-600-DGCF-DOP-2024-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS6-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 279 \text{ W}$ $\Phi_{30} = 142 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 1.5770x \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS6-600-BCF-DOP-2024-02

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS6-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 279 \text{ W}$ $\Phi_{30} = 142 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 1.5770 \times \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS6-600-WCF-DOP-2024-03

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS6-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 279 \text{ W}$ $\Phi_{30} = 142 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 1.5770 \times \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS9-600-DGCF-DOP-2024-04

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS9-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 419 \text{ W}$ $\Phi_{30} = 213 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.3655 \times \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS9-600-BCF-DOP-2024-05

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS9-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 419 \text{ W}$ $\Phi_{30} = 213 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.3655 \times \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS9-600-WCF-DOP-2024-06

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS9-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 419 \text{ W}$ $\Phi_{30} = 213 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.3655 \times \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS11-600-DGCF-DOP-2024-07

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS11-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 466 \text{ W}$ $\Phi_{30} = 236 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.6284x \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS11-600-BCF-DOP-2024-08

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS11-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 466 \text{ W}$ $\Phi_{30} = 236 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.6284x \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS11-600-WCF-DOP-2024-09

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS11-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 466 \text{ W}$ $\Phi_{30} = 236 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.6284x \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS13-600-DGCF-DOP-2024-10

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS13-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 605 \text{ W}$ $\Phi_{30} = 307 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.4169x \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS13-600-BCF-DOP-2024-11

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS13-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 605 \text{ W}$ $\Phi_{30} = 307 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.4169x \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS13-600-WCF-DOP-2024-12

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS13-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 605 \text{ W}$ $\Phi_{30} = 307 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.4169 \times \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS15-600-DGCF-DOP-2024-13

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS15-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 699 \text{ W}$ $\Phi_{30} = 355 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.9426x \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS15-600-BCF-DOP-2024-14

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS15-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 699 \text{ W}$ $\Phi_{30} = 355 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.9426 \times \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS15-600-WCF-DOP-2024-15

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS15-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 699 \text{ W}$ $\Phi_{30} = 355 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.9426 \times \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS17-600-DGCF-DOP-2024-16

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS17-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 792 \text{ W}$ $\Phi_{30} = 402 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.4682x \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS17-600-BCF-DOP-2024-17

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS17-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 792 \text{ W}$ $\Phi_{30} = 402 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.4682x \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS17-600-WCF-DOP-2024-18

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS17-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 792 \text{ W}$ $\Phi_{30} = 402 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.4682x \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS21-600-DGCF-DOP-2024-19

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS21-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 978 \text{ W}$ $\Phi_{30} = 497 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.5196 \times \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS21-600-BCF-DOP-2024-20

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS21-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 978 \text{ W}$ $\Phi_{30} = 497 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.5196 \times \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS21-600-WCF-DOP-2024-21

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS21-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 978 \text{ W}$ $\Phi_{30} = 497 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.5196 \times \Delta T^{1.3234}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS4-1600-DGCF-DOP-2024-22

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS4-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 477 \text{ W}$ $\Phi_{30} = 247 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.0815 \times \Delta T^{1.2890}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS4-1600-BCF-DOP-2024-23

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS4-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 477 \text{ W}$ $\Phi_{30} = 247 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.0815 \times \Delta T^{1.2890}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS4-1600-WCF-DOP-2024-24

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS4-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 477 \text{ W}$ $\Phi_{30} = 247 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.0815 \times \Delta T^{1.2890}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS6-1600-DGCF-DOP-2024-25

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS6-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 716 \text{ W}$ $\Phi_{30} = 370 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.6223x \Delta T^{1.2890}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS6-1600-BCF-DOP-2024-26

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS6-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 716 \text{ W}$ $\Phi_{30} = 370 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.6223x \Delta T^{1.2890}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS6-1600-WCF-DOP-2024-27

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS6-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 716 \text{ W}$ $\Phi_{30} = 370 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.6223x \Delta T^{1.2890}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS8-1600-DGCF-DOP-2024-28

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS8-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 955 \text{ W}$ $\Phi_{30} = 494 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.1631 \times \Delta T^{1.2890}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS8-1600-BCF-DOP-2024-29

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS8-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 955 \text{ W}$ $\Phi_{30} = 494 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.1631 \times \Delta T^{1.2890}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS8-1600-WCF-DOP-2024-30

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS8-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 955 \text{ W}$ $\Phi_{30} = 494 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.1631 \times \Delta T^{1.2890}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS10-1600-DGCF-DOP-2024-31

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS10-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1193 \text{ W}$ $\Phi_{30} = 617 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.7039x \Delta T^{1.2890}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS10-1600-BCF-DOP-2024-32

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS10-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1193 \text{ W}$ $\Phi_{30} = 617 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.7039x \Delta T^{1.2890}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS10-1600-WCF-DOP-2024-33

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS10-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1193 \text{ W}$ $\Phi_{30} = 617 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.7039x \Delta T^{1.2890}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS4-1800-DGCF-DOP-2024-34

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS4-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 529 \text{ W}$ $\Phi_{30} = 274 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.5063 \times \Delta T^{1.2821}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS4-1800-BCF-DOP-2024-35

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS4-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 529 \text{ W}$ $\Phi_{30} = 274 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.5063 \times \Delta T^{1.2821}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS4-1800-WCF-DOP-2024-36

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS4-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 529 \text{ W}$ $\Phi_{30} = 274 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.5063 \times \Delta T^{1.2821}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS6-1800-DGCF-DOP-2024-37

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS6-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 793 \text{ W}$ $\Phi_{30} = 411 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.2595x \Delta T^{1.2821}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS6-1800-BCF-DOP-2024-38

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS6-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 793 \text{ W}$ $\Phi_{30} = 411 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.2595x \Delta T^{1.2821}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS6-1800-WCF-DOP-2024-39

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS6-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 793 \text{ W}$ $\Phi_{30} = 411 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.2595x \Delta T^{1.2821}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS8-1800-DGCF-DOP-2024-40

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS8-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1057 \text{ W}$ $\Phi_{30} = 549 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.0126x \Delta T^{1.2821}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS8-1800-BCF-DOP-2024-41

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS8-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1057 \text{ W}$ $\Phi_{30} = 549 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.0126x \Delta T^{1.2821}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS8-1800-WCF-DOP-2024-42

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS8-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1057 \text{ W}$ $\Phi_{30} = 549 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.0126 \times \Delta T^{1.2821}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS10-1800-DGCF-DOP-2024-43

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS10-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1322 \text{ W}$ $\Phi_{30} = 686 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.7658 \times \Delta T^{1.2821}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS10-1800-BCF-DOP-2024-44

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS10-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1322 \text{ W}$ $\Phi_{30} = 686 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.7658 \times \Delta T^{1.2821}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS10-1800-WCF-DOP-2024-45

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS10-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0028-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1322 \text{ W}$ $\Phi_{30} = 686 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.7658 \times \Delta T^{1.2821}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD6-600-DGCF-DOP-2024-46

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD6-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 452 \text{ W}$ $\Phi_{30} = 238 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.3699 \times \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD6-600-BCF-DOP-2024-47

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD6-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 452 \text{ W}$ $\Phi_{30} = 238 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.3699 \times \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD6-600-WCF-DOP-2024-48

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD6-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 452 \text{ W}$ $\Phi_{30} = 238 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.3699 \times \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD9-600-DGCF-DOP-2024-49

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD9-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 678 \text{ W}$ $\Phi_{30} = 357 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.0548 \times \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD9-600-BCF-DOP-2024-50

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD9-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 678 \text{ W}$ $\Phi_{30} = 357 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.0548 \times \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD9-600-WCF-DOP-2024-51

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD9-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 678 \text{ W}$ $\Phi_{30} = 357 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.0548 \times \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD11-600-DGCF-DOP-2024-52

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD11-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 829 \text{ W}$ $\Phi_{30} = 437 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.1781 \times \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD11-600-BCF-DOP-2024-53

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD11-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 829 \text{ W}$ $\Phi_{30} = 437 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.1781 \times \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD11-600-WCF-DOP-2024-54

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD11-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 829 \text{ W}$ $\Phi_{30} = 437 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.1781 \times \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD13-600-DGCF-DOP-2024-55

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD13-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 979 \text{ W}$ $\Phi_{30} = 516 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.3014x \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD13-600-BCF-DOP-2024-56

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD13-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 979 \text{ W}$ $\Phi_{30} = 516 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.3014x \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD13-600-WCF-DOP-2024-57

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD13-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 979 \text{ W}$ $\Phi_{30} = 516 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.3014x \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD15-600-DGCF-DOP-2024-58

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD15-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1130 \text{ W}$ $\Phi_{30} = 596 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.4247 \times \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD15-600-BCF-DOP-2024-59

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD15-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1130 \text{ W}$ $\Phi_{30} = 596 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.4247 \times \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD15-600-WCF-DOP-2024-60

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD15-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1130 \text{ W}$ $\Phi_{30} = 596 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.4247 \times \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD17-600-DGCF-DOP-2024-61

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD17-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1281 \text{ W}$ $\Phi_{30} = 675 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9.5480 \times \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD17-600-BCF-DOP-2024-62

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD17-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1281 \text{ W}$ $\Phi_{30} = 675 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9.5480 \times \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD17-600-WCF-DOP-2024-63

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD17-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1281 \text{ W}$ $\Phi_{30} = 675 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9.5480 \times \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD21-600-DGCF-DOP-2024-64

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD21-600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1582 \text{ W}$ $\Phi_{30} = 834 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 11.794 \times \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD21-600-BCF-DOP-2024-65

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD21-600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 1582 W Φ30 = 834 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 11.794 \times \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD21-600-WCF-DOP-2024-66

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD21-600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 1582 W Φ30 = 834 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 11.794 \times \Delta T^{1.2522}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD4-1600-DGCF-DOP-2024-67

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD4-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 720 \text{ W}$ $\Phi_{30} = 368 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.2869 \times \Delta T^{1.3098}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD4-1600-BCF-DOP-2024-68

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD4-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 720 \text{ W}$ $\Phi_{30} = 368 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.2869 \times \Delta T^{1.3098}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD4-1600-WCF-DOP-2024-69

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD4-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 720 \text{ W}$ $\Phi_{30} = 368 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.2869 \times \Delta T^{1.3098}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD6-1600-DGCF-DOP-2024-70

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD6-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1081 \text{ W}$ $\Phi_{30} = 553 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.4304x \Delta T^{1.3098}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD6-1600-BCF-DOP-2024-71

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD6-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1081 \text{ W}$ $\Phi_{30} = 553 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.4304x \Delta T^{1.3098}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD6-1600-WCF-DOP-2024-72

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD6-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1081 \text{ W}$ $\Phi_{30} = 553 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.4304x \Delta T^{1.3098}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD8-1600-DGCF-DOP-2024-73

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD8-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1441 \text{ W}$ $\Phi_{30} = 737 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.5739x \Delta T^{1.3098}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD8-1600-BCF-DOP-2024-74

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD8-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1441 \text{ W}$ $\Phi_{30} = 737 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.5739x \Delta T^{1.3098}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD8-1600-WCF-DOP-2024-75

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD8-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1441 \text{ W}$ $\Phi_{30} = 737 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.5739x \Delta T^{1.3098}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD10-1600-DGCF-DOP-2024-76

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD10-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1801 \text{ W}$ $\Phi_{30} = 922 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 10.717 \times \Delta T^{1.3098}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD10-1600-BCF-DOP-2024-77

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD10-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1801 \text{ W}$ $\Phi_{30} = 922 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 10.717 \times \Delta T^{1.3098}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD10-1600-WCF-DOP-2024-78

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD10-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1801 \text{ W}$ $\Phi_{30} = 922 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 10.717 \times \Delta T^{1.3098}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD4-1800-DGCF-DOP-2024-79

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD4-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 814 \text{ W}$ $\Phi_{30} = 414 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.6328x \Delta T^{1.3213}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD4-1800-BCF-DOP-2024-80

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD4-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 814 \text{ W}$ $\Phi_{30} = 414 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.6328x \Delta T^{1.3213}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD4-1800-WCF-DOP-2024-81

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD4-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 814 \text{ W}$ $\Phi_{30} = 414 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.6328x \Delta T^{1.3213}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD6-1800-DGCF-DOP-2024-82

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD6-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1222 \text{ W}$ $\Phi_{30} = 621 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.9493 \times \Delta T^{1.3213}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD6-1800-BCF-DOP-2024-83

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD6-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 1222 W Φ30 = 621 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 6.9493 x ΔT ^{1.3213}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD6-1800-WCF-DOP-2024-84

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD6-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	Φ50 = 1222 W Φ30 = 621 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 6.9493x ΔT ^{1.3213}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD8-1800-DGCF-DOP-2024-85

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD8-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1629 \text{ W}$ $\Phi_{30} = 829 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9.2657 \times \Delta T^{1.3213}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD8-1800-BCF-DOP-2024-86

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD8-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1629 \text{ W}$ $\Phi_{30} = 829 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9.2657 \times \Delta T^{1.3213}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD8-1800-WCF-DOP-2024-87

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD8-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 1629 \text{ W}$ $\Phi_{30} = 829 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9.2657 \times \Delta T^{1.3213}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD10-1800-DGCF-DOP-2024-88

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD10-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 2036 \text{ W}$ $\Phi_{30} = 1036 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 11.582x \Delta T^{1.3213}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD10-1800-BCF-DOP-2024-89

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD10-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 2036 \text{ W}$ $\Phi_{30} = 1036 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 11.582 \times \Delta T^{1.3213}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD10-1800-WCF-DOP-2024-90

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD10-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0029-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 2036 \text{ W}$ $\Phi_{30} = 1036 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 11.582x \Delta T^{1.3213}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS7-600-DGCO-DOP-2024-91

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS7-600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 323 \text{ W}$ $\Phi_{30} = 167 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.0595x \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS7-600-BCO-DOP-2024-92

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS7-600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 323 \text{ W}$ $\Phi_{30} = 167 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.0595x \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS7-600-WCO-DOP-2024-93

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS7-600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 323 \text{ W}$ $\Phi_{30} = 167 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.0595x \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS10-600-DGCO-DOP-2024-94

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS10-600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 462 \text{ W}$ $\Phi_{30} = 238 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.9421 \times \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS10-600-BCO-DOP-2024-95

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS10-600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 462 \text{ W}$ $\Phi_{30} = 238 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.9421 \times \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS10-600-WCO-DOP-2024-96

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS10-600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 462 \text{ W}$ $\Phi_{30} = 238 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.9421 \times \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS13-600-DGCO-DOP-2024-97

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS13-600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 601 \text{ W}$ $\Phi_{30} = 310 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.8248x \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS13-600-BCO-DOP-2024-98

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS13-600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 601 \text{ W}$ $\Phi_{30} = 310 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.8248 \times \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS13-600-WCO-DOP-2024-99

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS13-600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 601 \text{ W}$ $\Phi_{30} = 310 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.8248 \times \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS17-600-DGCO-DOP-2024-100

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS17-600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 785 \text{ W}$ $\Phi_{30} = 405 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.0016x \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS17-600-BCO-DOP-2024-101

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS17-600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 785 \text{ W}$ $\Phi_{30} = 405 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.0016x \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS17-600-WCO-DOP-2024-102

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS17-600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 785 \text{ W}$ $\Phi_{30} = 405 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.0016x \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS20-600-DGCO-DOP-2024-103

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS20-600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 924 \text{ W}$ $\Phi_{30} = 477 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.8843 \times \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS20-600-BCO-DOP-2024-104

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS20-600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 924 \text{ W}$ $\Phi_{30} = 477 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.8843x \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS20-600-WCO-DOP-2024-105

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS20-600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 924 \text{ W}$ $\Phi_{30} = 477 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.8843 \times \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS24-600-DGCO-DOP-2024-106

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS24-600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1109 \text{ W}$ $\Phi_{30} = 572 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.0611 \times \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS24-600-BCO-DOP-2024-107

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS24-600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1109 \text{ W}$ $\Phi_{30} = 572 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.0611 \times \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS24-600-WCO-DOP-2024-108

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS24-600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1109 \text{ W}$ $\Phi_{30} = 572 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.0611 \times \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS27-600-DGCO-DOP-2024-109

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS27-600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1247 \text{ W}$ $\Phi_{30} = 644 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.9438 \times \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS27-600-BCO-DOP-2024-110

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS27-600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	Φ50 = 1247 W Φ30 = 644 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.9438 \times \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HS27-600-WCO-DOP-2024-111

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HS27-600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1247 \text{ W}$ $\Phi_{30} = 644 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.9438 \times \Delta T^{1.2925}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS4-1600-DGCO-DOP-2024-112

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS4-1600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 446 \text{ W}$ $\Phi_{30} = 231 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.9473 \times \Delta T^{1.2830}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS4-1600-BCO-DOP-2024-113

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS4-1600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 446 \text{ W}$ $\Phi_{30} = 231 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.9473 \times \Delta T^{1.2830}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS4-1600-WCO-DOP-2024-114

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS4-1600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 446 \text{ W}$ $\Phi_{30} = 231 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.9473 \times \Delta T^{1.2830}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS6-1600-DGCO-DOP-2024-115

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS6-1600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 669 \text{ W}$ $\Phi_{30} = 347 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.4210 \times \Delta T^{1.2830}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS6-1600-BCO-DOP-2024-116

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS6-1600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 669 \text{ W}$ $\Phi_{30} = 347 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.4210x \Delta T^{1.2830}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS6-1600-WCO-DOP-2024-117

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS6-1600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 669 \text{ W}$ $\Phi_{30} = 347 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.4210 \times \Delta T^{1.2830}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS8-1600-DGCO-DOP-2024-118

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS8-1600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 892 \text{ W}$ $\Phi_{30} = 463 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.8947 \times \Delta T^{1.2830}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS8-1600-BCO-DOP-2024-119

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS8-1600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 892 \text{ W}$ $\Phi_{30} = 463 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.8947 \times \Delta T^{1.2830}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS8-1600-WCO-DOP-2024-120

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS8-1600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 892 \text{ W}$ $\Phi_{30} = 463 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.8947 \times \Delta T^{1.2830}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS10-1600-DGCO-DOP-2024-121

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS10-1600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1115 \text{ W}$ $\Phi_{30} = 578 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.3683 \times \Delta T^{1.2830}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS10-1600-BCO-DOP-2024-122

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS10-1600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1115 \text{ W}$ $\Phi_{30} = 578 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.3683 \times \Delta T^{1.2830}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS10-1600-WCO-DOP-2024-123

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS10-1600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1115 \text{ W}$ $\Phi_{30} = 578 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.3683 \times \Delta T^{1.2830}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS4-1800-DGCO-DOP-2024-124

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS4-1800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 494 \text{ W}$ $\Phi_{30} = 256 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.2908 \times \Delta T^{1.2811}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS4-1800-BCO-DOP-2024-125

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS4-1800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 494 \text{ W}$ $\Phi_{30} = 256 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.2908 \times \Delta T^{1.2811}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS4-1800-WCO-DOP-2024-126

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS4-1800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 494 \text{ W}$ $\Phi_{30} = 256 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.2908 \times \Delta T^{1.2811}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS6-1800-DGCO-DOP-2024-127

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS6-1800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 742 \text{ W}$ $\Phi_{30} = 385 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.9363x \Delta T^{1.2811}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS6-1800-BCO-DOP-2024-128

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS6-1800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 742 \text{ W}$ $\Phi_{30} = 385 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.9363x \Delta T^{1.2811}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS6-1800-WCO-DOP-2024-129

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS6-1800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 742 \text{ W}$ $\Phi_{30} = 385 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.9363x \Delta T^{1.2811}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS8-1800-DGCO-DOP-2024-130

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS8-1800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 989 \text{ W}$ $\Phi_{30} = 513 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.5817 \times \Delta T^{1.2811}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS8-1800-BCO-DOP-2024-131

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS8-1800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 989 \text{ W}$ $\Phi_{30} = 513 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.5817 \times \Delta T^{1.2811}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS8-1800-WCO-DOP-2024-132

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS8-1800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 989 \text{ W}$ $\Phi_{30} = 513 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.5817 \times \Delta T^{1.2811}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS10-1800-DGCO-DOP-2024-133

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS10-1800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	Φ50 = 1236 W Φ30 = 642 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.2271 \times \Delta T^{1.2811}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS10-1800-BCO-DOP-2024-134

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS10-1800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	Φ50 = 1236 W Φ30 = 642 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.2271 \times \Delta T^{1.2811}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS10-1800-WCO-DOP-2024-135

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS10-1800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0030-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1236 \text{ W}$ $\Phi_{30} = 642 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.2271 \times \Delta T^{1.2811}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD7-600-DGCO-DOP-2024-136

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD7-600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 492 \text{ W}$ $\Phi_{30} = 257 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.4705 \times \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD7-600-BCO-DOP-2024-137

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD7-600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 492 \text{ W}$ $\Phi_{30} = 257 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.4705 \times \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD7-600-WCO-DOP-2024-138

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD7-600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 492 \text{ W}$ $\Phi_{30} = 257 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.4705 \times \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD10-600-DGCO-DOP-2024-139

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD10-600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 703 \text{ W}$ $\Phi_{30} = 368 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.9579 \times \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD10-600-BCO-DOP-2024-140

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD10-600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 703 \text{ W}$ $\Phi_{30} = 368 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.9579 \times \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD10-600-WCO-DOP-2024-141

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD10-600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 703 \text{ W}$ $\Phi_{30} = 368 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.9579 \times \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD13-600-DGCO-DOP-2024-142

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD13-600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 914 \text{ W}$ $\Phi_{30} = 478 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.4453x \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD13-600-BCO-DOP-2024-143

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD13-600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 914 \text{ W}$ $\Phi_{30} = 478 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.4453x \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD13-600-WCO-DOP-2024-144

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD13-600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 914 \text{ W}$ $\Phi_{30} = 478 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.4453x \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD17-600-DGCO-DOP-2024-145

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD17-600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1195 \text{ W}$ $\Phi_{30} = 625 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.4285 \times \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD17-600-BCO-DOP-2024-146

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD17-600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1195 \text{ W}$ $\Phi_{30} = 625 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.4285x \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD17-600-WCO-DOP-2024-147

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD17-600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1195 \text{ W}$ $\Phi_{30} = 625 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.4285 \times \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD20-600-DGCO-DOP-2024-148

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD20-600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1406 \text{ W}$ $\Phi_{30} = 736 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9.9159 \times \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD20-600-BCO-DOP-2024-149

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD20-600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1406 \text{ W}$ $\Phi_{30} = 736 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9.9159 \times \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD20-600-WCO-DOP-2024-150

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD20-600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1406 \text{ W}$ $\Phi_{30} = 736 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9.9159 \times \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD24-600-DGCO-DOP-2024-151

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD24-600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1688 \text{ W}$ $\Phi_{30} = 883 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 11.899 \times \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD24-600-BCO-DOP-2024-152

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD24-600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1688 \text{ W}$ $\Phi_{30} = 883 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 11.899 \times \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD24-600-WCO-DOP-2024-153

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD24-600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1688 \text{ W}$ $\Phi_{30} = 883 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 11.899 \times \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD27-600-DGCO-DOP-2024-154

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD27-600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1899 \text{ W}$ $\Phi_{30} = 994 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 13.386 \times \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD27-600-BCO-DOP-2024-155

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD27-600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1899 \text{ W}$ $\Phi_{30} = 994 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 13.386 \times \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HD27-600-WCO-DOP-2024-156

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HD27-600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1899 \text{ W}$ $\Phi_{30} = 994 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 13.386 \times \Delta T^{1.2665}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD4-1600-DGCO-DOP-2024-157

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD4-1600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 655 \text{ W}$ $\Phi_{30} = 338 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.1975x \Delta T^{1.2908}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD4-1600-BCO-DOP-2024-158

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD4-1600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 655 \text{ W}$ $\Phi_{30} = 338 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.1975x \Delta T^{1.2908}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD4-1600-WCO-DOP-2024-159

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD4-1600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 655 \text{ W}$ $\Phi_{30} = 338 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.1975x \Delta T^{1.2908}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD6-1600-DGCO-DOP-2024-160

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD6-1600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 982 \text{ W}$ $\Phi_{30} = 507 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.2962x \Delta T^{1.2908}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD6-1600-BCO-DOP-2024-161

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD6-1600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 982 \text{ W}$ $\Phi_{30} = 507 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.2962x \Delta T^{1.2908}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD6-1600-WCO-DOP-2024-162

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD6-1600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 982 \text{ W}$ $\Phi_{30} = 507 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.2962x \Delta T^{1.2908}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD8-1600-DGCO-DOP-2024-163

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD8-1600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	Φ50 = 1310 W Φ30 = 677 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.3950 \times \Delta T^{1.2908}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD8-1600-BCO-DOP-2024-164

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD8-1600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1310 \text{ W}$ $\Phi_{30} = 677 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.3950x \Delta T^{1.2908}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD8-1600-WCO-DOP-2024-165

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD8-1600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1310 \text{ W}$ $\Phi_{30} = 677 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.3950x \Delta T^{1.2908}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD10-1600-DGCO-DOP-2024-166

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD10-1600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1637 \text{ W}$ $\Phi_{30} = 846 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 10.493x \Delta T^{1.2908}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD10-1600-BCO-DOP-2024-167

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD10-1600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1637 \text{ W}$ $\Phi_{30} = 846 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 10.493 \times \Delta T^{1.2908}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD10-1600-WCO-DOP-2024-168

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD10-1600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1637 \text{ W}$ $\Phi_{30} = 846 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 10.493 \times \Delta T^{1.2908}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD4-1800-DGCO-DOP-2024-169

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD4-1800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 730 \text{ W}$ $\Phi_{30} = 376 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.5929x \Delta T^{1.2957}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD4-1800-BCO-DOP-2024-170

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD4-1800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 730 \text{ W}$ $\Phi_{30} = 376 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.5929x \Delta T^{1.2957}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD4-1800-WCO-DOP-2024-171

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD4-1800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 730 \text{ W}$ $\Phi_{30} = 376 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.5929x \Delta T^{1.2957}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD6-1800-DGCO-DOP-2024-172

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD6-1800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1095 \text{ W}$ $\Phi_{30} = 565 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.8894x \Delta T^{1.2957}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD6-1800-BCO-DOP-2024-173

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD6-1800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	Φ50 = 1095 W Φ30 = 565 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.8894x \Delta T^{1.2957}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD6-1800-WCO-DOP-2024-174

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD6-1800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1095 \text{ W}$ $\Phi_{30} = 565 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.8894x \Delta T^{1.2957}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD8-1800-DGCO-DOP-2024-175

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD8-1800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1460 \text{ W}$ $\Phi_{30} = 753 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9.1859 \times \Delta T^{1.2957}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD8-1800-BCO-DOP-2024-176

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD8-1800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1460 \text{ W}$ $\Phi_{30} = 753 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9.1859 \times \Delta T^{1.2957}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD8-1800-WCO-DOP-2024-177

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD8-1800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1460 \text{ W}$ $\Phi_{30} = 753 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9.1859 \times \Delta T^{1.2957}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD10-1800-DGCO-DOP-2024-178

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD10-1800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1826 \text{ W}$ $\Phi_{30} = 941 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 11.482 \times \Delta T^{1.2957}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD10-1800-BCO-DOP-2024-179

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD10-1800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1826 \text{ W}$ $\Phi_{30} = 941 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 11.482 \times \Delta T^{1.2957}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD10-1800-WCO-DOP-2024-180

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD10-1800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0031-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1826 \text{ W}$ $\Phi_{30} = 941 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 11.482 \times \Delta T^{1.2957}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD9-300-DGCT-DOP-2024-181

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD9-300-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 215 \text{ W}$ $\Phi_{30} = 112 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 1.4522x \Delta T^{1.2780}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD9-300-BCT-DOP-2024-182

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD9-300-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 215 \text{ W}$ $\Phi_{30} = 112 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 1.4522x \Delta T^{1.2780}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD9-300-WCT-DOP-2024-183

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD9-300-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 215 \text{ W}$ $\Phi_{30} = 112 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 1.4522x \Delta T^{1.2780}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD13-300-DGCT-DOP-2024-184

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD13-300-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 311 \text{ W}$ $\Phi_{30} = 162 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.0977 \times \Delta T^{1.2780}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD13-300-BCT-DOP-2024-185

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD13-300-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 311 \text{ W}$ $\Phi_{30} = 162 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.0977 \times \Delta T^{1.2780}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD13-300-WCT-DOP-2024-186

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD13-300-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 311 \text{ W}$ $\Phi_{30} = 162 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.0977 \times \Delta T^{1.2780}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD18-300-DGCT-DOP-2024-187

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD18-300-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 431 \text{ W}$ $\Phi_{30} = 224 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.9045x \Delta T^{1.2780}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD18-300-BCT-DOP-2024-188

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD18-300-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 431 \text{ W}$ $\Phi_{30} = 224 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.9045 \times \Delta T^{1.2780}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD18-300-WCT-DOP-2024-189

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD18-300-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 431 \text{ W}$ $\Phi_{30} = 224 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.9045x \Delta T^{1.2780}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD22-300-DGCT-DOP-2024-190

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD22-300-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 527 \text{ W}$ $\Phi_{30} = 274 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.5499 \times \Delta T^{1.2780}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD22-300-BCT-DOP-2024-191

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD22-300-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 527 \text{ W}$ $\Phi_{30} = 274 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.5499 \times \Delta T^{1.2780}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD22-300-WCT-DOP-2024-192

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD22-300-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 527 \text{ W}$ $\Phi_{30} = 274 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.5499 \times \Delta T^{1.2780}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD26-300-DGCT-DOP-2024-193

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD26-300-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 623 \text{ W}$ $\Phi_{30} = 324 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.1954x \Delta T^{1.2780}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD26-300-BCT-DOP-2024-194

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD26-300-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 623 \text{ W}$ $\Phi_{30} = 324 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.1954x \Delta T^{1.2780}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD26-300-WCT-DOP-2024-195

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD26-300-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 623 \text{ W}$ $\Phi_{30} = 324 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.1954x \Delta T^{1.2780}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD32-300-DGCT-DOP-2024-196

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD32-300-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 766 \text{ W}$ $\Phi_{30} = 398 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.1636x \Delta T^{1.2780}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD32-300-BCT-DOP-2024-197

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD32-300-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 766 \text{ W}$ $\Phi_{30} = 398 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.1636x \Delta T^{1.2780}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD32-300-WCT-DOP-2024-198

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD32-300-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 766 \text{ W}$ $\Phi_{30} = 398 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.1636 \times \Delta T^{1.2780}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD9-600-DGCT-DOP-2024-199

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD9-600-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 415 \text{ W}$ $\Phi_{30} = 216 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.8104x \Delta T^{1.2768}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD9-600-BCT-DOP-2024-200

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD9-600-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 415 \text{ W}$ $\Phi_{30} = 216 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.8104x \Delta T^{1.2768}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD9-600-WCT-DOP-2024-201

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD9-600-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 415 \text{ W}$ $\Phi_{30} = 216 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.8104x \Delta T^{1.2768}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD13-600-DGCT-DOP-2024-202

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD13-600-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 600 \text{ W}$ $\Phi_{30} = 312 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.0594 \times \Delta T^{1.2768}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD13-600-BCT-DOP-2024-203

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD13-600-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 600 \text{ W}$ $\Phi_{30} = 312 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.0594 \times \Delta T^{1.2768}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD13-600-WCT-DOP-2024-204

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD13-600-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 600 \text{ W}$ $\Phi_{30} = 312 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.0594 \times \Delta T^{1.2768}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD18-600-DGCT-DOP-2024-205

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD18-600-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 830 \text{ W}$ $\Phi_{30} = 432 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.6208 \times \Delta T^{1.2768}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD18-600-BCT-DOP-2024-206

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD18-600-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 830 \text{ W}$ $\Phi_{30} = 432 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.6208 \times \Delta T^{1.2768}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD18-600-WCT-DOP-2024-207

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD18-600-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 830 \text{ W}$ $\Phi_{30} = 432 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.6208 \times \Delta T^{1.2768}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD22-600-DGCT-DOP-2024-208

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD22-600-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1015 \text{ W}$ $\Phi_{30} = 528 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.8698 \times \Delta T^{1.2768}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD22-600-BCT-DOP-2024-209

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD22-600-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	Φ50 = 1015 W Φ30 = 528 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.8698 \times \Delta T^{1.2768}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD22-600-WCT-DOP-2024-210

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD22-600-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1015 \text{ W}$ $\Phi_{30} = 528 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.8698 \times \Delta T^{1.2768}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD26-600-DGCT-DOP-2024-211

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD26-600-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	Φ50 = 1199 W Φ30 = 624 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.1189 \times \Delta T^{1.2768}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD26-600-BCT-DOP-2024-212

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD26-600-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1199 \text{ W}$ $\Phi_{30} = 624 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.1189 \times \Delta T^{1.2768}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD26-600-WCT-DOP-2024-213

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD26-600-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1199 \text{ W}$ $\Phi_{30} = 624 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.1189 \times \Delta T^{1.2768}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD32-600-DGCT-DOP-2024-214

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD32-600-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1476 \text{ W}$ $\Phi_{30} = 768 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9.9925x \Delta T^{1.2768}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD32-600-BCT-DOP-2024-215

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD32-600-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1476 \text{ W}$ $\Phi_{30} = 768 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9.9925x \Delta T^{1.2768}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCD32-600-WCT-DOP-2024-216

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCD32-600-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1476 \text{ W}$ $\Phi_{30} = 768 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9.9925 \times \Delta T^{1.2768}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD4-1500-DGCT-DOP-2024-217

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD4-1500-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 436 \text{ W}$ $\Phi_{30} = 227 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.9896 \times \Delta T^{1.2733}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD4-1500-BCT-DOP-2024-218

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD4-1500-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 436 \text{ W}$ $\Phi_{30} = 227 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.9896 \times \Delta T^{1.2733}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD4-1500-WCT-DOP-2024-219

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD4-1500-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 436 \text{ W}$ $\Phi_{30} = 227 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.9896 \times \Delta T^{1.2733}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD6-1500-DGCT-DOP-2024-220

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD6-1500-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 653 \text{ W}$ $\Phi_{30} = 340 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.4844x \Delta T^{1.2733}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD6-1500-BCT-DOP-2024-221

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD6-1500-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 653 \text{ W}$ $\Phi_{30} = 340 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.4844x \Delta T^{1.2733}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD6-1500-WCT-DOP-2024-222

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD6-1500-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 653 \text{ W}$ $\Phi_{30} = 340 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.4844x \Delta T^{1.2733}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD8-1500-DGCT-DOP-2024-223

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD8-1500-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 871 \text{ W}$ $\Phi_{30} = 454 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.9792x \Delta T^{1.2733}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD8-1500-BCT-DOP-2024-224

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD8-1500-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 871 \text{ W}$ $\Phi_{30} = 454 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.9792 \times \Delta T^{1.2733}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD8-1500-WCT-DOP-2024-225

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD8-1500-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 871 \text{ W}$ $\Phi_{30} = 454 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.9792x \Delta T^{1.2733}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD10-1500-DGCT-DOP-2024-226

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD10-1500-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1089 \text{ W}$ $\Phi_{30} = 568 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.4740 \times \Delta T^{1.2733}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD10-1500-BCT-DOP-2024-227

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD10-1500-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1089 \text{ W}$ $\Phi_{30} = 568 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.4740 \times \Delta T^{1.2733}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD10-1500-WCT-DOP-2024-228

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD10-1500-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1089 \text{ W}$ $\Phi_{30} = 568 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.4740 \times \Delta T^{1.2733}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD12-1500-DGCT-DOP-2024-229

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD12-1500-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1307 \text{ W}$ $\Phi_{30} = 681 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.9688 \times \Delta T^{1.2733}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD12-1500-BCT-DOP-2024-230

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD12-1500-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1307 \text{ W}$ $\Phi_{30} = 681 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.9688 \times \Delta T^{1.2733}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD12-1500-WCT-DOP-2024-231

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD12-1500-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1307 \text{ W}$ $\Phi_{30} = 681 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.9688 \times \Delta T^{1.2733}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD4-1800-DGCT-DOP-2024-232

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD4-1800-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 516 \text{ W}$ $\Phi_{30} = 269 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.5565x \Delta T^{1.2721}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD4-1800-BCT-DOP-2024-233

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD4-1800-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 516 \text{ W}$ $\Phi_{30} = 269 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.5565x \Delta T^{1.2721}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD4-1800-WCT-DOP-2024-234

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD4-1800-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 516 \text{ W}$ $\Phi_{30} = 269 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.5565x \Delta T^{1.2721}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD6-1800-DGCT-DOP-2024-235

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD6-1800-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 774 \text{ W}$ $\Phi_{30} = 403 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.3348 \times \Delta T^{1.2721}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD6-1800-BCT-DOP-2024-236

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD6-1800-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 774 \text{ W}$ $\Phi_{30} = 403 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.3348x \Delta T^{1.2721}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD6-1800-WCT-DOP-2024-237

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD6-1800-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 774 \text{ W}$ $\Phi_{30} = 403 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.3348 \times \Delta T^{1.2721}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD8-1800-DGCT-DOP-2024-238

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD8-1800-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	Φ50 = 1031 W Φ30 = 538 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.1131 \times \Delta T^{1.2721}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD8-1800-BCT-DOP-2024-239

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD8-1800-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1031 \text{ W}$ $\Phi_{30} = 538 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.1131 \times \Delta T^{1.2721}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD8-1800-WCT-DOP-2024-240

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD8-1800-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1031 \text{ W}$ $\Phi_{30} = 538 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.1131 \times \Delta T^{1.2721}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD10-1800-DGCT-DOP-2024-241

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD10-1800-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	Φ50 = 1289 W Φ30 = 673 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.8914 \times \Delta T^{1.2721}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD10-1800-BCT-DOP-2024-242

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD10-1800-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	Φ50 = 1289 W Φ30 = 673 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.8914 \times \Delta T^{1.2721}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD10-1800-WCT-DOP-2024-243

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD10-1800-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1289 \text{ W}$ $\Phi_{30} = 673 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.8914x \Delta T^{1.2721}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD12-1800-DGCT-DOP-2024-244

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD12-1800-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1547 \text{ W}$ $\Phi_{30} = 807 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 10.669 \times \Delta T^{1.2721}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD12-1800-BCT-DOP-2024-245

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD12-1800-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1547 \text{ W}$ $\Phi_{30} = 807 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 10.669 \times \Delta T^{1.2721}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCD12-1800-WCT-DOP-2024-246

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCD12-1800-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0032-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1547 \text{ W}$ $\Phi_{30} = 807 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 10.669 \times \Delta T^{1.2721}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT9-300-DGCT-DOP-2024-247

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT9-300-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 272 \text{ W}$ $\Phi_{30} = 139 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 1.6441 \times \Delta T^{1.3059}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT9-300-BCT-DOP-2024-248

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT9-300-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 272 \text{ W}$ $\Phi_{30} = 139 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 1.6441 \times \Delta T^{1.3059}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT9-300-WCT-DOP-2024-249

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT9-300-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 272 \text{ W}$ $\Phi_{30} = 139 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 1.6441 \times \Delta T^{1.3059}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT13-300-DGCT-DOP-2024-250

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT13-300-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 393 \text{ W}$ $\Phi_{30} = 201 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.3748x \Delta T^{1.3059}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT13-300-BCT-DOP-2024-251

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT13-300-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 393 \text{ W}$ $\Phi_{30} = 201 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.3748x \Delta T^{1.3059}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT13-300-WCT-DOP-2024-252

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT13-300-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 393 \text{ W}$ $\Phi_{30} = 201 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.3748x \Delta T^{1.3059}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT18-300-DGCT-DOP-2024-253

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT18-300-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 544 \text{ W}$ $\Phi_{30} = 279 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.2882x \Delta T^{1.3059}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT18-300-BCT-DOP-2024-254

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT18-300-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 544 \text{ W}$ $\Phi_{30} = 279 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.2882 \times \Delta T^{1.3059}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT18-300-WCT-DOP-2024-255

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT18-300-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 544 \text{ W}$ $\Phi_{30} = 279 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.2882x \Delta T^{1.3059}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT22-300-DGCT-DOP-2024-256

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT22-300-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 665 \text{ W}$ $\Phi_{30} = 341 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.0189x \Delta T^{1.3059}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT22-300-BCT-DOP-2024-257

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT22-300-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 665 \text{ W}$ $\Phi_{30} = 341 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.0189x \Delta T^{1.3059}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT22-300-WCT-DOP-2024-258

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT22-300-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 665 \text{ W}$ $\Phi_{30} = 341 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.0189 \times \Delta T^{1.3059}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT26-300-DGCT-DOP-2024-259

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT26-300-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 786 \text{ W}$ $\Phi_{30} = 403 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.7497 \times \Delta T^{1.3059}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT26-300-BCT-DOP-2024-260

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT26-300-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 786 \text{ W}$ $\Phi_{30} = 403 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.7497 \times \Delta T^{1.3059}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT26-300-WCT-DOP-2024-261

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT26-300-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 786 \text{ W}$ $\Phi_{30} = 403 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.7497 \times \Delta T^{1.3059}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT32-300-DGCT-DOP-2024-262

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT32-300-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 968 \text{ W}$ $\Phi_{30} = 496 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.8457 \times \Delta T^{1.3059}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT32-300-BCT-DOP-2024-263

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT32-300-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 968 \text{ W}$ $\Phi_{30} = 496 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.8457 \times \Delta T^{1.3059}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT32-300-WCT-DOP-2024-264

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT32-300-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 968 \text{ W}$ $\Phi_{30} = 496 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.8457 \times \Delta T^{1.3059}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT9-600-DGCT-DOP-2024-265

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT9-600-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 525 \text{ W}$ $\Phi_{30} = 269 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.1926 \times \Delta T^{1.3042}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT9-600-BCT-DOP-2024-266

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT9-600-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 525 \text{ W}$ $\Phi_{30} = 269 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.1926x \Delta T^{1.3042}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT9-600-WCT-DOP-2024-267

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT9-600-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 525 \text{ W}$ $\Phi_{30} = 269 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.1926x \Delta T^{1.3042}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT13-600-DGCT-DOP-2024-268

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT13-600-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 758 \text{ W}$ $\Phi_{30} = 389 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.6116x \Delta T^{1.3042}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT13-600-BCT-DOP-2024-269

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT13-600-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 758 \text{ W}$ $\Phi_{30} = 389 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.6116x \Delta T^{1.3042}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT13-600-WCT-DOP-2024-270

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT13-600-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 758 \text{ W}$ $\Phi_{30} = 389 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.6116x \Delta T^{1.3042}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT18-600-DGCT-DOP-2024-271

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT18-600-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1050 \text{ W}$ $\Phi_{30} = 539 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.3853x \Delta T^{1.3042}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT18-600-BCT-DOP-2024-272

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT18-600-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1050 \text{ W}$ $\Phi_{30} = 539 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.3853x \Delta T^{1.3042}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT18-600-WCT-DOP-2024-273

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT18-600-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	Φ50 = 1050 W Φ30 = 539 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.3853 \times \Delta T^{1.3042}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT22-600-DGCT-DOP-2024-274

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT22-600-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	Φ50 = 1283 W Φ30 = 659 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 7.8043 x ΔT ^{1.3042}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT22-600-BCT-DOP-2024-275

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT22-600-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1283 \text{ W}$ $\Phi_{30} = 659 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.8043x \Delta T^{1.3042}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT22-600-WCT-DOP-2024-276

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT22-600-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1283 \text{ W}$ $\Phi_{30} = 659 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.8043x \Delta T^{1.3042}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT26-600-DGCT-DOP-2024-277

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT26-600-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	Φ50 = 1516 W Φ30 = 778 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9.2233x \Delta T^{1.3042}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT26-600-BCT-DOP-2024-278

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT26-600-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	Φ50 = 1516 W Φ30 = 778 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9.2233x \Delta T^{1.3042}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT26-600-WCT-DOP-2024-279

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT26-600-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1516 \text{ W}$ $\Phi_{30} = 778 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 9.2233x \Delta T^{1.3042}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT32-600-DGCT-DOP-2024-280

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT32-600-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1866 \text{ W}$ $\Phi_{30} = 958 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 11.351 \times \Delta T^{1.3042}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT32-600-BCT-DOP-2024-281

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT32-600-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1866 \text{ W}$ $\Phi_{30} = 958 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 11.351 \times \Delta T^{1.3042}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: HCT32-600-WCT-DOP-2024-282

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

HCT32-600-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1866 \text{ W}$ $\Phi_{30} = 958 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 11.351 \times \Delta T^{1.3042}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT4-1500-DGCT-DOP-2024-283

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT4-1500-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 550 \text{ W}$ $\Phi_{30} = 283 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.4117 \times \Delta T^{1.2990}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT4-1500-BCT-DOP-2024-284

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT4-1500-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 550 \text{ W}$ $\Phi_{30} = 283 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.4117 \times \Delta T^{1.2990}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT4-1500-WCT-DOP-2024-285

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT4-1500-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 550 \text{ W}$ $\Phi_{30} = 283 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.4117 \times \Delta T^{1.2990}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT6-1500-DGCT-DOP-2024-286

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT6-1500-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 825 \text{ W}$ $\Phi_{30} = 424 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.1176 \times \Delta T^{1.2990}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT6-1500-BCT-DOP-2024-287

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT6-1500-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 825 \text{ W}$ $\Phi_{30} = 424 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.1176x \Delta T^{1.2990}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT6-1500-WCT-DOP-2024-288

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT6-1500-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 825 \text{ W}$ $\Phi_{30} = 424 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.1176 \times \Delta T^{1.2990}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT8-1500-DGCT-DOP-2024-289

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT8-1500-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1099 \text{ W}$ $\Phi_{30} = 566 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.8235x \Delta T^{1.2990}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT8-1500-BCT-DOP-2024-290

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT8-1500-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1099 \text{ W}$ $\Phi_{30} = 566 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.8235x \Delta T^{1.2990}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT8-1500-WCT-DOP-2024-291

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT8-1500-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1099 \text{ W}$ $\Phi_{30} = 566 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.8235x \Delta T^{1.2990}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT10-1500-DGCT-DOP-2024-292

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT10-1500-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	Φ50 = 1374 W Φ30 = 707 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 8.5294 x ΔT ^{1.2990}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT10-1500-BCT-DOP-2024-293

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT10-1500-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1374 \text{ W}$ $\Phi_{30} = 707 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.5294x \Delta T^{1.2990}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT10-1500-WCT-DOP-2024-294

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT10-1500-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1374 \text{ W}$ $\Phi_{30} = 707 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.5294x \Delta T^{1.2990}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT12-1500-DGCT-DOP-2024-295

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT12-1500-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1649 \text{ W}$ $\Phi_{30} = 849 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 10.235 \times \Delta T^{1.2990}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT12-1500-BCT-DOP-2024-296

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT12-1500-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1649 \text{ W}$ $\Phi_{30} = 849 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 10.235 \times \Delta T^{1.2990}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT12-1500-WCT-DOP-2024-297

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT12-1500-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1649 \text{ W}$ $\Phi_{30} = 849 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 10.235 \times \Delta T^{1.2990}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT4-1800-DGCT-DOP-2024-298

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT4-1800-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 650 \text{ W}$ $\Phi_{30} = 335 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.0625 \times \Delta T^{1.2973}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT4-1800-BCT-DOP-2024-299

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT4-1800-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 650 \text{ W}$ $\Phi_{30} = 335 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.0625 \times \Delta T^{1.2973}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT4-1800-WCT-DOP-2024-300

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT4-1800-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 650 \text{ W}$ $\Phi_{30} = 335 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.0625 \times \Delta T^{1.2973}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT6-1800-DGCT-DOP-2024-301

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT6-1800-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 975 \text{ W}$ $\Phi_{30} = 502 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.0937 \times \Delta T^{1.2973}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT6-1800-BCT-DOP-2024-302

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT6-1800-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 975 \text{ W}$ $\Phi_{30} = 502 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.0937 \times \Delta T^{1.2973}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT6-1800-WCT-DOP-2024-303

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT6-1800-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 975 \text{ W}$ $\Phi_{30} = 502 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.0937 \times \Delta T^{1.2973}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT8-1800-DGCT-DOP-2024-304

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT8-1800-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	Φ50 = 1300 W Φ30 = 670 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.1250 \times \Delta T^{1.2973}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT8-1800-BCT-DOP-2024-305

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT8-1800-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1300 \text{ W}$ $\Phi_{30} = 670 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.1250 \times \Delta T^{1.2973}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT8-1800-WCT-DOP-2024-306

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT8-1800-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	Φ50 = 1300 W Φ30 = 670 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.1250 \times \Delta T^{1.2973}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT10-1800-DGCT-DOP-2024-307

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT10-1800-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1625 \text{ W}$ $\Phi_{30} = 837 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 10.156 \times \Delta T^{1.2973}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT10-1800-BCT-DOP-2024-308

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT10-1800-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1625 \text{ W}$ $\Phi_{30} = 837 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 10.156 \times \Delta T^{1.2973}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT10-1800-WCT-DOP-2024-309

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT10-1800-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1625 \text{ W}$ $\Phi_{30} = 837 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 10.156 \times \Delta T^{1.2973}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT12-1800-DGCT-DOP-2024-310

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT12-1800-DGCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1950 \text{ W}$ $\Phi_{30} = 1005 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 12.187 \times \Delta T^{1.2973}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT12-1800-BCT-DOP-2024-311

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT12-1800-BCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1950 \text{ W}$ $\Phi_{30} = 1005 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 12.187 \times \Delta T^{1.2973}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VCT12-1800-WCT-DOP-2024-312

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VCT12-1800-WCT

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0033-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 1100 kPa	
Rated thermal outputs	$\Phi_{50} = 1950 \text{ W}$ $\Phi_{30} = 1005 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 12.187 \times \Delta T^{1.2973}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSM6-1800-DGCO-DOP-2024-313

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSM6-1800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0034-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 785 \text{ W}$ $\Phi_{30} = 403 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.7734x \Delta T^{1.3044}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSM6-1800-BCO-DOP-2024-314

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSM6-1800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0034-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 785 \text{ W}$ $\Phi_{30} = 403 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.7734x \Delta T^{1.3044}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSM6-1800-WCO-DOP-2024-315

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSM6-1800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0034-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 785 \text{ W}$ $\Phi_{30} = 403 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.7734x \Delta T^{1.3044}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VDM4-1800-DGCF-DOP-2024-316

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VDM4-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0035-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 1038 \text{ W}$ $\Phi_{30} = 530 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.0827 \times \Delta T^{1.3137}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VDM4-1800-BCF-DOP-2024-317

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VDM4-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0035-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	Φ50 = 1038 W Φ30 = 530 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.0827 \times \Delta T^{1.3137}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VDM4-1800-WCF-DOP-2024-318

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VDM4-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0035-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	Φ50 = 1038 W Φ30 = 530 W	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.0827 \times \Delta T^{1.3137}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR7-650-400DGCF-DOP-2024-319

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR7-650-400DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 255 \text{ W}$ $\Phi_{30} = 138 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.3366 \times \Delta T^{1.1996}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR7-650-400BCF-DOP-2024-320

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR7-650-400BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 255 \text{ W}$ $\Phi_{30} = 138 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.3366x \Delta T^{1.1996}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR7-650-400WCF-DOP-2024-321

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR7-650-400WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 255 \text{ W}$ $\Phi_{30} = 138 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.3366 \times \Delta T^{1.1996}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR7-650-500DGCF-DOP-2024-322

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR7-650-500DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 299 \text{ W}$ $\Phi_{30} = 160 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.5365x \Delta T^{1.2187}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR7-650-500BCF-DOP-2024-323

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR7-650-500BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 299 \text{ W}$ $\Phi_{30} = 160 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.5365x \Delta T^{1.2187}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR7-650-500WCF-DOP-2024-324

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR7-650-500WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 299 \text{ W}$ $\Phi_{30} = 160 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 2.5365x \Delta T^{1.2187}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR8-800-450DGCF-DOP-2024-325

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR8-800-450DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 328 \text{ W}$ $\Phi_{30} = 177 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.0070 \times \Delta T^{1.1997}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR8-800-450BCF-DOP-2024-326

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR8-800-450BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 328 \text{ W}$ $\Phi_{30} = 177 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.0070 \times \Delta T^{1.1997}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR8-800-450WCF-DOP-2024-327

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR8-800-450WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 328 \text{ W}$ $\Phi_{30} = 177 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.0070 \times \Delta T^{1.1997}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR8-800-600DGCF-DOP-2024-328

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR8-800-600DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 412 \text{ W}$ $\Phi_{30} = 224 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.9799 \times \Delta T^{1.1862}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR8-800-600BCF-DOP-2024-329

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR8-800-600BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 412 \text{ W}$ $\Phi_{30} = 224 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.9799 \times \Delta T^{1.1862}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR8-800-600WCF-DOP-2024-330

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR8-800-600WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 412 \text{ W}$ $\Phi_{30} = 224 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.9799 \times \Delta T^{1.1862}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR9-1000-450DGCF-DOP-2024-331

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR9-1000-450DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 400 \text{ W}$ $\Phi_{30} = 215 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.4781 \times \Delta T^{1.2131}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR9-1000-450BCF-DOP-2024-332

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR9-1000-450BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 400 \text{ W}$ $\Phi_{30} = 215 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.4781 \times \Delta T^{1.2131}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR9-1000-450WCF-DOP-2024-333

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR9-1000-450WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 400 \text{ W}$ $\Phi_{30} = 215 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.4781 \times \Delta T^{1.2131}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR9-1000-600DGCF-DOP-2024-334

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR9-1000-600DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 502 \text{ W}$ $\Phi_{30} = 271 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.5468 \times \Delta T^{1.2024}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR9-1000-600BCF-DOP-2024-335

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR9-1000-600BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 502 \text{ W}$ $\Phi_{30} = 271 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.5468 \times \Delta T^{1.2024}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR9-1000-600WCF-DOP-2024-336

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR9-1000-600WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 502 \text{ W}$ $\Phi_{30} = 271 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.5468 \times \Delta T^{1.2024}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR12-1200-450DGCF-DOP-2024-337

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR12-1200-450DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 475 \text{ W}$ $\Phi_{30} = 253 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.9173 \times \Delta T^{1.2265}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR12-1200-450BCF-DOP-2024-338

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR12-1200-450BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 475 \text{ W}$ $\Phi_{30} = 253 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.9173 \times \Delta T^{1.2265}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR12-1200-450WCF-DOP-2024-339

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR12-1200-450WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 475 \text{ W}$ $\Phi_{30} = 253 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 3.9173 \times \Delta T^{1.2265}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR12-1200-600DGCF-DOP-2024-340

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR12-1200-600DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 596 \text{ W}$ $\Phi_{30} = 319 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.0693 \times \Delta T^{1.2186}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR12-1200-600BCF-DOP-2024-341

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR12-1200-600BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 596 \text{ W}$ $\Phi_{30} = 319 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.0693 \times \Delta T^{1.2186}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR12-1200-600WCF-DOP-2024-342

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR12-1200-600WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 596 \text{ W}$ $\Phi_{30} = 319 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.0693 \times \Delta T^{1.2186}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR15-1600-450DGCF-DOP-2024-343

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR15-1600-450DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 637 \text{ W}$ $\Phi_{30} = 335 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.7257 \times \Delta T^{1.2533}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR15-1600-450BCF-DOP-2024-344

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR15-1600-450BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 637 \text{ W}$ $\Phi_{30} = 335 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.7257 \times \Delta T^{1.2533}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR15-1600-450WCF-DOP-2024-345

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR15-1600-450WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 637 \text{ W}$ $\Phi_{30} = 335 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.7257 \times \Delta T^{1.2533}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR15-1600-600DGCF-DOP-2024-346

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR15-1600-600DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 804 \text{ W}$ $\Phi_{30} = 424 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.0187 \times \Delta T^{1.2511}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR15-1600-600BCF-DOP-2024-347

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR15-1600-600BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 804 \text{ W}$ $\Phi_{30} = 424 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.0187 \times \Delta T^{1.2511}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR15-1600-600WCF-DOP-2024-348

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR15-1600-600WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 804 \text{ W}$ $\Phi_{30} = 424 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.0187 \times \Delta T^{1.2511}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR19-1800-450DGCF-DOP-2024-349

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR19-1800-450DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 724 \text{ W}$ $\Phi_{30} = 379 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.1031 \times \Delta T^{1.2667}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR19-1800-450BCF-DOP-2024-350

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR19-1800-450BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 724 \text{ W}$ $\Phi_{30} = 379 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.1031 \times \Delta T^{1.2667}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR19-1800-450WCF-DOP-2024-351

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR19-1800-450WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 724 \text{ W}$ $\Phi_{30} = 379 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 5.1031 \times \Delta T^{1.2667}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR19-1800-600DGCF-DOP-2024-352

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR19-1800-600DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 919 \text{ W}$ $\Phi_{30} = 480 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.4569 \times \Delta T^{1.2673}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR19-1800-600BCF-DOP-2024-353

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR19-1800-600BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 919 \text{ W}$ $\Phi_{30} = 480 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.4569 \times \Delta T^{1.2673}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSTR19-1800-600WCF-DOP-2024-354

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSTR19-1800-600WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0036-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 400 kPa	
Rated thermal outputs	$\Phi_{50} = 919 \text{ W}$ $\Phi_{30} = 480 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.4569 \times \Delta T^{1.2673}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSW7-1800-DGCO-DOP-2024-355

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSW7-1800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0037-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 858 \text{ W}$ $\Phi_{30} = 433 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.5797 \times \Delta T^{1.3375}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSW7-1800-BCO-DOP-2024-356

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSW7-1800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0037-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 858 \text{ W}$ $\Phi_{30} = 433 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.5797 \times \Delta T^{1.3375}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSW7-1800-WCO-DOP-2024-357

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSW7-1800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0037-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 900 kPa	
Rated thermal outputs	$\Phi_{50} = 858 \text{ W}$ $\Phi_{30} = 433 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 4.5797 \times \Delta T^{1.3375}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSR16-1800-DGCS-DOP-2024-358

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSR16-1800-DGCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0038-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	$\Phi_{50} = 1227 \text{ W}$ $\Phi_{30} = 630 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.4533x \Delta T^{1.3046}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSR16-1800-BCS-DOP-2024-359

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSR16-1800-BCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0038-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	$\Phi_{50} = 1227 \text{ W}$ $\Phi_{30} = 630 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.4533x \Delta T^{1.3046}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VSR16-1800-WCS-DOP-2024-360

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VSR16-1800-WCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0038-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	$\Phi_{50} = 1227 \text{ W}$ $\Phi_{30} = 630 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 7.4533x \Delta T^{1.3046}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS10-1800-DGCS-DOP-2024-361

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS10-1800-DGCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0039-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	$\Phi_{50} = 1061 \text{ W}$ $\Phi_{30} = 540 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.0394x \Delta T^{1.3211}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS10-1800-BCS-DOP-2024-362

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS10-1800-BCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0039-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	$\Phi_{50} = 1061 \text{ W}$ $\Phi_{30} = 540 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 6.0394x \Delta T^{1.3211}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VS10-1800-WCS-DOP-2024-363

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VS10-1800-WCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0039-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1061 W Φ30 = 540 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 6.0394x ΔT ^{1.3211}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD10-1800-DGCS-DOP-2024-364

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD10-1800-DGCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0040-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	$\Phi_{50} = 1570 \text{ W}$ $\Phi_{30} = 795 \text{ W}$	
Thermal output in different operating conditions (characteristic curve)	$\Phi = 8.6098x \Delta T^{1.3307}$	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD10-1800-BCS-DOP-2024-365

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD10-1800-BCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0040-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1570 W Φ30 = 795 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 8.6098 x ΔT ^{1.3307}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England

DECLARATION OF PERFORMANCE

No: VD10-1800-WCS-DOP-2024-366

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

VD10-1800-WCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	Buy It Direct	Buy It Direct
Postal Address:	Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire	The Black Church
Postcode	HD2 1UA	St Mary's Place
Telephone Number	0871 620 1057	Dublin 7
E-mail Address	Compliance@BuyItDirect.co.uk	01 255 2070

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0040-2024

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	No leakage at 1.5 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	No breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1570 W Φ30 = 795 W	
Thermal output in different operating conditions (characteristic curve)	Φ = 8.6098 x ΔT ^{1.3307}	
Durability as:		
Resistance against corrosion:	No corrosion after 100 h humidity	
Resistance against minor impact:	Class 0	

The performance of the product identified is in conformity with the declared performance above.

This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Richard Leach
Quality and Compliance Manager
7th November 2024
Huddersfield, England